


PPC-GS0792T

Android fanless touch panel pc

Photos:



Dimensions



Feature:

- **Chipset:Rk3288 SoC Cortex-A17, 1.8GHz,Quad core**
- **7" Touch Screen**
- **Multi-touch Capacity Touch Sreen**
- **2GB RAM on board, 8G NANDFLASH storage**
- **2*USB2.0/2*RS232/1*HDMI**
- **1* 1000M LAN**
- **Wifi/BT 4.0**
- **Fanless Industrial Design**
- **Color: Black or optional**

Specification:

Display Feature	Display Screen	7" TFT LED
	Touch Screen	Multi-touch Capacity touch screen
	Contrast ratio	800:1
	Resolution	800*480
	Brightness	400 cd/m2
Performance	Chipset	Rk3288 SoC Cortex-A17, 1.8GHz,Quad core
	Memory	On board 2GB RAM
	Hardware Monitor	Monitors voltage, TEMP and CPU fan speed
	Storage	On board 8G NAND FLASH
Power	Power Supply	100~240VAC/50~60Hz (With power adapter) 12VDC/5A (Without Power adapter)
	Power Dissipation	8W
OS	OS	Android 5.1
I/O Ports	USB	2*USB2.0
	Serial Ports	2*RS232
	LAN	1*1000M
	Audio	1*Line out
	Display	1*HDMI
	Blue tooth	4.0
Expension	WIFI	2.5G/5G
	GPS	Optional
Environmental	Anti-vibration	5-19Hz/1.0mm amplitude; 19-200Hz/1.0g, acceleration
	Anti-shock	10g acceleration, 11ms duration
	IP Level	Front panel IP65 (Optional)
	Reliability	MTBF $\geq$ 50000h; MTTR $\leq$ 0.5h
	Operating Temperature	-20℃ $\sim$ 60℃ (with air flow)
	Storage Temperature	-30℃ $\sim$ 70℃
	Operating Humidity	95% @40℃, non-condensing
Mechanical	Dimensions	186mm (L) *135mm(W) *37mm (H)
	Material	Fanless High-strength and elegant AL-alloy pane
	Weight	0.88kg/1.5kg(N/G)
	Color	Black or optional